



- ▶ **High performance**
- ▶ **Standard - heavy duty specification**
- ▶ **Quality and reliability**
- ▶ **Suitable for medium volume industrial and commercial installations**
- ▶ **3 phase and single phase equipment supplied**
- ▶ **Static action**
- ▶ **Prompt after sales service**

MACHINE SPECIFICATIONS

KI 400	CHARGE BOX VOLUME (NOM)	1.75 cu yd	1.33 m ³	CYCLE TIME	42 sec	
	MACHINE LENGTH	170 ins	4330 mm	THEORETICAL THROUGHPUT/HOUR	97 cu yd	74 m ³
	MACHINE WIDTH	72 ins	1840 mm	COMPACTION FORCE	45160 lbs	20485 kg
	MACHINE HEIGHT	81.5 ins	2070 mm	ELECTRIC MOTOR	10 hp	7.5 kw
	STANDARD LOADING HEIGHT	47 ins	1195 mm	HYDRAULIC CYLINDER	5" dia	127 mm dia
K3500	CHARGE BOX VOLUME (NOM)	2.00 cu yd	1.52 m ³	CYCLE TIME	45 sec	
	MACHINE LENGTH	255 ins	6470 mm	THEORETICAL THROUGHPUT/HOUR	118 cu yd	90 m ³
	MACHINE WIDTH	94.5 ins	2400 mm	COMPACTION FORCE	45160 lbs	20485 kg
	MACHINE HEIGHT	109 ins	2770 mm	ELECTRIC MOTOR	10 hp	7.5 kw
	STANDARD LOADING HEIGHT	47 ins	1195mm	HYDRAULIC CYLINDER	5" dia	127 mm dia

K3500 special model available with larger charge box (Eurospec)
We reserve the right to amend specification without prior notice.

Kelpack

Station Works, Station Road, Ecclesfield, Sheffield S35 9YR

Telephone: 0114 246 8679 Email: info@kelpack.com

Fax: 0114 240 2601 Web: www.kelpack.com

Kelpack is a trading name of Kelwick Engineering Ltd.

