



- ▶ High performance
- ▶ Standard specification
- ▶ Quality and reliability
- ▶ Suitable for light - medium volume industrial and commercial installations
- ▶ 3 phase and single phase equipment supplied
- ▶ Prompt after sales service

### MACHINE SPECIFICATIONS

<b>I 200</b>	CHARGE BOX VOLUME (NOM)	1.5 cu yd	1.15 m <sup>3</sup>	CYCLE TIME	31 sec	
	MACHINE LENGTH	152 ins	3850 mm	THEORETICAL THROUGHPUT/HOUR	85 cu yd	65 m <sup>3</sup>
	MACHINE WIDTH	79 ins	2000 mm	COMPACTION FORCE	45239 lbs	20520 kg
	MACHINE HEIGHT	94 ins	2370 mm	ELECTRIC MOTOR	10 hp	7.5 kw
	STANDARD LOADING HEIGHT	41 ins	1050mm	HYDRAULIC CYLINDER	6" dia	150 mm dia
<b>I 400</b>	CHARGE BOX VOLUME (NOM)	1.5 cu yd	1.15 m <sup>3</sup>	CYCLE TIME	31 sec	
	MACHINE LENGTH	175 ins	4450 mm	THEORETICAL THROUGHPUT/HOUR	85 cu yd	65 m <sup>3</sup>
	MACHINE WIDTH	79 ins	2000 mm	COMPACTION FORCE	45239 lbs	20520 kg
	MACHINE HEIGHT	94 ins	2370 mm	ELECTRIC MOTOR	10 hp	7.5 kw
	STANDARD LOADING HEIGHT	41 ins	1050mm	HYDRAULIC CYLINDER	6" dia	150 mm dia

We reserve the right to amend specification without prior notice.

#### Kelpack

Station Works, Station Road, Ecclesfield, Sheffield S35 9YR

Telephone: 0114 246 8679 Email: info@kelpack.com

Fax: 0114 240 2601 Web: www.kelpack.com

Kelpack is a trading name of Kelwick Engineering Ltd.